Journal of Orthopaedic Research
18:998-1000 The Journal of Bone and Joint Surgery, Inc.
© 2000 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 18, 2000

AUTHOR INDEX

Adkisson HD, 503
Ahmad CS, 101
Ahn JH, 698
Akeson WH, 203, 220
Alini M, 64
Allan DG, 449
Allen CR, 109
Al-Saffar N, 800
Amiel D, 87, 512
Amstutz HC, 35
An KN, 829, 952
Andriacchi TP, 572
Andrish JT, 183
Angelini P, 253
Antoniou J, 64
Aoki Y, 815
Arai Y, 87
Archer CW, 25
Arokoski J, 383
Arthur TL, 322
Asbeutah A, 580
Aspenberg P, 481
Ateshian GA, 101
Aydelotte MB, 364

Badger AM, 356
Bail H, 912
Baldini N, 959
Banes AJ, 220, 546
Banse X, 426
Barker JR, 449
Barry FP, 116
Battié MC, 768
Bell RS, 449
Benini S, 959
Benz EB, 472, 849
Beynnon BD, 190
Bhargava MM, 546
Bidder M, 247
Blankevoort L, 101, 613
Block JA, 572
Blunn GW, 865
Boardman ND III, 952
Bogdanske JJ, 56
Bogoch ER, 734, 873
Boivin GP, 116
Boorman RS, 517
Bosch P, 933
Bottlang M, 195, 821
Bouré L, 399
Bourgeault CA, 307
Bowen MK, 94
Boyan BD, 637
Boyer MI, 247
Bradford DS, 920
Brager MA, 133
Brandsson S, 856
Bravos PD, 721
Bray RC, 663
Breinan HA, 781
Breusch SJ, 604
Brien E, 655
Brigman BE, 546
Brisby H, 815, 983
Broll-Zeitvogel E, 393
Brown GA, 307
Brown TD, 195, 821
Brownlow HC, 438, 500
Brug E, 629
Buckwalter JA, 537
Buma P, 68
Buracco P, 253
Burger EH, 613
Butler DL, 116
Byröd G, 815, 983

Cagliero E, 253
Callahan DJ, 307
Caplan AI, 18, 773
Caprise P, 532
Carlson CS, 593, 713
Carlsson L, 856
Carmines D, 126
Carter DR, 706
Chamberland DL, 140
Chano T, 959
Chao EYS, 629
Chappell-Afonso K, 882
Chen AC, 374
Cheng EY, 1
Chien S, 899
Chiquet M, 406
Cho T-J, 698
Choi IH, 698
Cholewicki J, 841
Chung CY, 698
Cicuttini F, 580
Clohisy DR, 1, 967
Coathup MJ, 865
Cobb JP, 865
Cody DD, 443
Cole AA, 739
Connolly JF, 133
Cornu O, 426
Coutts RD, 512
Cummins J, 933

Dahners LE, 532
Damyanovich A, 416
Dean DD, 637
Debatin K-M, 10
Debski RE, 456
DeLeo JA, 977
Delloye C, 426
Dennis JE, 773
DeWolf WE Jr, 356
Dhert WJA, 485
Di Cesare PE, 345, 593, 713
Dietz FR, 340
DiRaimondo CA, 94
Divine GW, 443
Dobbs MB, 340
Docquier PL, 426
Doizé B, 399
Dounchis JS, 512
Driesang IMK, 909
Dykes DC, 1

Elder SH, 78
Eschbach EJ, 140
Evans C, 933
Evans CH, 585
Ewerbeck V, 10
Ewers BJ, 756
Eyre D, 64

Falcovitz YH, 374
Fang C, 345, 593, 713
Fellenberg J, 10
Ferracini R, 253
Fink B, 620
Fisher PW, 356
Flannery CR, 25
Fleer A, 485
Forbes A, 580
Fornasier VL, 873
Frank CB, 238, 462, 517, 524
Frausto A, 655
Frenkel B, 721
Fridén T, 565
Fu FH, 109, 456
Fujii T, 87
Fujita I, 183
Fukui N, 212
Funk JR, 126
Fyhrie DP, 443

Gagne TA, 882
Gardner TR, 101
Gebhardt MC, 303
Gelberman RH, 247
Georgescu HI, 585
Ghivizzani SC, 933
Gibbons LE, 768
Gibson LJ, 322
Gillis M, 503
Goater JJ, 472, 849
Goldberg VM, 18, 773
Goldring MB, 356
Goldstein SA, 78, 333, 432
Gooch HL, 126
Gordon S, 156
Gould SE, 920
Gowen M, 356
Grabiner MD, 183
Graf J, 604
Grelsamer RP, 101
Grifka JK, 393
Grodzinsky AJ, 739, 790
Gualtieri GM, 494
Guerkov H, 637
Guilak F, 269, 383, 891
Gundersen HJG, 313
Guo XE, 333
Gurnett CA, 340

Haaijman A, 613
Halder A, 829
Hale JE, 126
Hannafin JA, 546
Harner CD, 176
Hart DA, 462, 517, 524
Hashimoto S, 281
Hashizume H, 257, 977
Haut RC, 756
Haut TL, 228
Hayashi N, 257
Hayes WC, 322
Hazan EJ, 303
Heilmann M, 326
Heiner JP, 56
Hendrix RW, 94
Henry JH, 101
Herberts P, 856
Higa JK, 35
Higaki H, 835
Higuchi S, 265
Higuchi Y, 265, 647
Hiraoka H, 212
Hirasawa Y, 87
Hoellrich RG, 140
Hoerrner LA, 728
Hoffler CE, 432
Höher J, 456
Holmes AD, 808
Holtom PD, 721
Hong JH, 671
Hou FJ, 443
Howell SM, 228, 945
Hruska KA, 503
Hsieh AH, 220
Hsu H-C, 952
Hsu H-P, 781, 790
Huang RC, 841
Huard J, 933
Huibregtse BA, 18, 773
Huiskes R, 613
Huk O, 64

Journal of Orthopaedic Research
18:998-1000 The Journal of Bone and Joint Surgery, Inc.
© 2000 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 18, 2000

AUTHOR INDEX

Adkisson HD, 503
Ahmad CS, 101
Ahn JH, 698
Akeson WH, 203, 220
Alini M, 64
Allan DG, 449
Allen CR, 109
Al-Saffar N, 800
Amiel D, 87, 512
Amstutz HC, 35
An KN, 829, 952
Andriacchi TP, 572
Andrish JT, 183
Angelini P, 253
Antoniou J, 64
Aoki Y, 815
Arai Y, 87
Archer CW, 25
Arokoski J, 383
Arthur TL, 322
Asbeutah A, 580
Aspenberg P, 481
Ateshian GA, 101
Aydelotte MB, 364

Badger AM, 356
Bail H, 912
Baldini N, 959
Banes AJ, 220, 546
Banse X, 426
Barker JR, 449
Barry FP, 116
Battié MC, 768
Bell RS, 449
Benini S, 959
Benz EB, 472, 849
Beynnon BD, 190
Bhargava MM, 546
Bidder M, 247
Blankevoort L, 101, 613
Block JA, 572
Blunn GW, 865
Boardman ND III, 952
Bogdanske JJ, 56
Bogoch ER, 734, 873
Boivin GP, 116
Boorman RS, 517
Bosch P, 933
Bottlang M, 195, 821
Bouré L, 399
Bourgeault CA, 307
Bowen MK, 94
Boyan BD, 637
Boyer MI, 247
Bradford DS, 920
Brager MA, 133
Brandsson S, 856
Bravos PD, 721
Bray RC, 663
Breinan HA, 781
Breusch SJ, 604
Brien E, 655
Brigman BE, 546
Brisby H, 815, 983
Broll-Zeitvogel E, 393
Brown GA, 307
Brown TD, 195, 821
Brownlow HC, 438, 500
Brug E, 629
Buckwalter JA, 537
Buma P, 68
Buracco P, 253
Burger EH, 613
Butler DL, 116
Byröd G, 815, 983

Cagliero E, 253
Callahan DJ, 307
Caplan AI, 18, 773
Caprise P, 532
Carlson CS, 593, 713
Carlsson L, 856
Carmines D, 126
Carter DR, 706
Chamberland DL, 140
Chano T, 959
Chao EYS, 629
Chappell-Afonso K, 882
Chen AC, 374
Cheng EY, 1
Chien S, 899
Chiquet M, 406
Cho T-J, 698
Choi IH, 698
Cholewicki J, 841
Chung CY, 698
Cicuttini F, 580
Clohisy DR, 1, 967
Coathup MJ, 865
Cobb JP, 865
Cody DD, 443
Cole AA, 739
Connolly JF, 133
Cornu O, 426
Coutts RD, 512
Cummins J, 933

Dahners LE, 532
Damyanovich A, 416
Dean DD, 637
Debatin K-M, 10
Debski RE, 456
DeLeo JA, 977
Delloye C, 426
Dennis JE, 773
DeWolf WE Jr, 356
Dhert WJA, 485
Di Cesare PE, 345, 593, 713
Dietz FR, 340
DiRaimondo CA, 94
Divine GW, 443
Dobbs MB, 340
Docquier PL, 426
Doizé B, 399
Dounchis JS, 512
Driesang IMK, 909
Dykes DC, 1

Elder SH, 78
Eschbach EJ, 140
Evans C, 933
Evans CH, 585
Ewerbeck V, 10
Ewers BJ, 756
Eyre D, 64

Falcovitz YH, 374
Fang C, 345, 593, 713
Fellenberg J, 10
Ferracini R, 253
Fink B, 620
Fisher PW, 356
Flannery CR, 25
Fleer A, 485
Forbes A, 580
Fornasier VL, 873
Frank CB, 238, 462, 517, 524
Frausto A, 655
Frenkel B, 721
Fridén T, 565
Fu FH, 109, 456
Fujii T, 87
Fujita I, 183
Fukui N, 212
Funk JR, 126
Fyhrie DP, 443

Gagne TA, 882
Gardner TR, 101
Gebhardt MC, 303
Gelberman RH, 247
Georgescu HI, 585
Ghivizzani SC, 933
Gibbons LE, 768
Gibson LJ, 322
Gillis M, 503
Goater JJ, 472, 849
Goldberg VM, 18, 773
Goldring MB, 356
Goldstein SA, 78, 333, 432
Gooch HL, 126
Gordon S, 156
Gould SE, 920
Gowen M, 356
Grabiner MD, 183
Graf J, 604
Grelsamer RP, 101
Grifka JK, 393
Grodzinsky AJ, 739, 790
Gualtieri GM, 494
Guerkov H, 637
Guilak F, 269, 383, 891
Gundersen HJG, 313
Guo XE, 333
Gurnett CA, 340

Haaijman A, 613
Halder A, 829
Hale JE, 126
Hannafin JA, 546
Harner CD, 176
Hart DA, 462, 517, 524
Hashimoto S, 281
Hashizume H, 257, 977
Haut RC, 756
Haut TL, 228
Hayashi N, 257
Hayes WC, 322
Hazan EJ, 303
Heilmann M, 326
Heiner JP, 56
Hendrix RW, 94
Henry JH, 101
Herberts P, 856
Higa JK, 35
Higaki H, 835
Higuchi S, 265
Higuchi Y, 265, 647
Hiraoka H, 212
Hirasawa Y, 87
Hoellrich RG, 140
Hoerrner LA, 728
Hoffler CE, 432
Höher J, 456
Holmes AD, 808
Holtom PD, 721
Hong JH, 671
Hou FJ, 443
Howell SM, 228, 945
Hruska KA, 503
Hsieh AH, 220
Hsu H-C, 952
Hsu H-P, 781, 790
Huang RC, 841
Huard J, 933
Huibregtse BA, 18, 773
Huiskes R, 613
Huk O, 64

Hull ML, 228, 945
Hume EL, 494
Hunziker EB, 406, 909
Hurwitz DE, 572
Hurwitz SR, 126
Hyttinen MM, 383

Inoue A, 281
Inoue N, 629
Ionescu M, 399
Issack PS, 345
Ito M, 265, 647
Ito Y, 265, 647
Iwamoto Y, 728, 835

Jackson M, 503
Janaushek MA, 176
Jin G, 899
Jingushi S, 728
Johnson CB, 449
Johnson JA, 678
Johnson JL, 882
Johnson KD, 289
Johnstone B, 18, 585
Jou I-M, 149
Joyner C, 500

Kalidindi SR, 494
Kalteis T, 393
Kambic HE, 183
Kaneda Y, 517
Kannus P, 768
Kaprio J, 768
Karlsson J, 856
Kärrholm J, 856
Kawabata R, 281
Kawakami M, 257
Kawano M, 647
Kawano T, 835
Keaveny TM, 685
Keller PM, 356
Kihira T, 257
Kim AC, 749
Kim W, 87
Kimmel D, 326
Kimura JH, 78
King GJW, 678
Kinney JH, 326
Kiviranta I, 383
Koepp H, 739
Kolbeck S, 912
Kollias G, 472
Koman LA, 156
Komiya S, 281
Kopperdahl DL, 685
Koskenvuo M, 768
Kozloff K, 432
Kraus VB, 269
Kroeber MW, 326
Kuettner KE, 739
Kwak SD, 101
Kwon SY, 203

Lacey DL, 967
Lai K-A, 149
Landuzzi L, 959
Lane NE, 326
Lark MW, 356, 728
Lavagnino M, 78
Laverty S, 399
Lawrence WT, 546
Le CT, 1
Leask GP, 238
Lechner K, 945
Lee CR, 790
Lee D, 356
Lee FY-I, 303
Lee GM, 891
Lee JY, 933
Lee TC, 322
Leonard CA, 663
Leong JCY, 808
LeRoux MA, 383
Leslie MP, 345, 593, 713
Lester GE, 532
Levy MA, 356
Li KW, 374
Li MG, 40
Li XQ, 351
Li Y-S, 899
Li Z, 156
Lienert A, 620
Lim T-H, 671
Lin T, 203, 220
Linari A, 253
Lindhorst E, 269
Lindstrand A, 565
Liu Y, 637
Livesay GA, 109, 456
Lohmander LS, 728
Lohmann CH, 637
Lollini P-L, 959
Lottman LM, 374
Lotz JC, 326
Lotz M, 899
Lu AP, 472, 849
Lu WW, 808
Luk KDK, 808
Lund PK, 546
Lundberg M, 773
Luo Z-P, 952
Luyckx S, 426

Ma CB, 176
Ma QJ, 203, 220
Madej M, 620
Madey SM, 195, 821
Majima T, 524
Malaviya P, 116
Manara MC, 959
Mancer K, 416
Mankin HJ, 303
Manley PA, 56
Manninen H, 768
Manolopoulos V, 416
Marchuk LL, 517, 524
Marcoux M, 399
Markel MD, 56
Marsh JL, 195, 821
Marshall KW, 416
Martano M, 253
Martin JA, 537
Martin SD, 557, 781, 790
Matsumoto T, 257
Matsumura T, 351
Mau H, 10
Mawatari T, 835
McCarthy EF, 629
McCarthy T, 307
McClung CD, 35
McDougall JJ, 663
McPherson JM, 882
Meffert RH, 629
Mehr D, 537
Meyer A, 171
Mi Z, 585
Mikesky AE, 171
Mikic B, 406
Miller VM, 815
Mills BG, 655
Minamide A, 257
Miura H, 835
Miyamoto N, 265, 647
Mochida J, 988
Mohapatra NK, 546
Mollano AV, 849
Mollenhauer J, 364
Montfort MJ, 140
Moore KE, 432
Moran EL, 734, 873
Morcuende JA, 340
Moritz U, 565
Moro-oka T, 835
Morris K, 580
Mow VC, 101
Murphy JM, 116
Murray JC, 340
Murray MM, 557
Musgrave DS, 933

Nadeau DP, 356
Nagrampa JP, 374
Nakamura K, 212
Nakamura N, 517
Nakanishi Y, 835
Nanni P, 959
Nedel S, 10
Neuen-Jacob E, 620
Nevo Z, 133
Ni L, 593
Nichols CE III, 190
Nicoletti G, 959
Nijhof MW, 485
Nikkels PGJ, 485
Nilsson KG, 40
Nishikawa T, 183
Nishimura K, 988
Nishio M, 647
Niyibizi C, 585
Novotny JE, 190
Nuber GW, 94
Nuttall ME, 356

Ochi T, 517
Oda H, 212
O'Keefe RJ, 472, 849
Okuma M, 988
Oldham CA, 882
Olmarker K, 815, 983
Oosterbos CJM, 485
O'Rourke MR, 821
Otani K, 983
Otsuka NY, 920
Overgaard S, 313

Panjabi MM, 841
Pardubsky PD, 537
Patterson MJ, 133
Patzakis MJ, 721
Pavkovic SA, 721
Pearlman JL, 685
Pericherla K, 326
Perris R, 593, 713
Philippou S, 393
Picci P, 959
Pillon CL, 678
Pioletti DP, 203
Plitz W, 393
Pluhar GE, 56
Poole AR, 399
Portland GH, 94
Puts EWA, 485
Puzas JE, 472, 849
Pysklywec MW, 734

Qi M, 967
Qi W-N, 928
Quan EC, 739

Raininko R, 768
Ramnaraine ML, 967
Raschke M, 912
Reading AD, 762
Reed A, 500
Regnér L, 856
Reid DL, 364
Reno C, 462
Revell PA, 800
Rhee JM, 920
Robbins PD, 585, 933
Roberts D, 565
Roberts SG, 691
Rooney P, 762
Rosencrance E, 156
Rosier RN, 472, 849
Rudy TW, 176
Rüther W, 620
Rutkowski MD, 977
Ryals AR, 572
Rydevik B, 815, 983

Sah RL, 374, 899
Sakabe K, 988
Sakane M, 109
Sarin VK, 706
Sathasivam S, 48
Scheffler SU, 456
Schmalzried TP, 35
Schmeling A, 912
Schnitzer TJ, 572
Schultz F, 829
Schwartz Z, 637
Schwarz EM, 472, 849
Sciadini MF, 289
Sciore P, 524
Scotlandi K, 959
Scully S, 967
Scully SP, 928

Seiki K, 988
Serra M, 959
Setton LA, 269, 383
Sharma L, 572
Shen C-L, 149
Shepherd LE, 721
Shinmei M, 728
Shino K, 517
Shrive NG, 238, 462, 517, 524
Shuler F, 933
Shuler FD, 585
Shyy JY-J, 374, 899
Siegler S, 494
Silver WP, 156
Simmons JG, 546
Simon B, 637
Simpson AHRW, 438, 500
Skripitz R, 481
Smith FNL, 116
Smith TL, 156
Søballe K, 313
Solchaga LA, 773
Soslowsky LJ, 78
Spector M, 557, 749, 781, 790
Staples J, 416
Steele CR, 691
Steyers CM, 195, 340, 821
Stolerman E, 593
Stomberg A, 565
Strandhoy JW, 156
Stratmann U, 604
Strauss-Schoenberger J, 503
Stuckey S, 580
Studer RK, 585
Sudo A, 265, 647
Sugioka Y, 728
Sung K-LP, 203, 220
Sutherland C, 663

Tajima M, 265, 647
Takai S, 87
Takei H, 203
Tamaki T, 257
Tan H, 967
Tanck E, 613
Tashiro T, 212
Tay BK-B, 920
Taylor GJS, 762
Thompson KL, 171
Thompson RC Jr, 1
Thornton GM, 238
Tis JE, 629
Tonino AJ, 485
Towler DA, 247
Trammell RA, 449
Treppo S, 739
Trickey WR, 891
Trippel SB, 351
Tsai CM-H, 220
Tsurudome M, 265, 647
Tsuzaki M, 546
Tubo RA, 882
Tulli H, 593, 713

Uchida A, 265, 647
Uvehammer J, 856

Vaccaro C, 882
Vail TP, 269, 383
van Beuningen HM, 68
van den Berg WB, 68
Van G, 967
van Susante JLC, 68
Van Wyk J, 546
Vanderby R Jr, 56
Vasios GW, 882
Verbout AJ, 485
Verner A, 25
Veth RPH, 68
Videman T, 768
Vilim V, 269
Villarreal FJ, 220
Vogel KG, 116
Vogely HC, 485
Vogrin TM, 176

Walker EA, 25
Walker PS, 48, 865
Wang F, 356
Wang G, 94
Wang H, 269
Weinstein JN, 977
Wenz W, 604
Wheeler DL, 140
Whelan MC, 351
Wilkins R, 503
Windhagen H, 912
Withrow JD, 456
Wong EK, 109
Wong M, 406
Woo SL-Y, 109, 176, 456
Wood DJ, 203
Woolley CT, 190
Wunder J, 253

Yamamoto J, 546
Yamano Y, 149
Yeung G, 663
Yoo JU, 773

Zahiri CA, 35
Zaleske DJ, 339
Zenmyo M, 281
Zhang L-Q, 94
Zhong S, 808
Zhu Q, 808
Zobitz ME, 829
Zukor D, 64
Zysset PK, 432

Journal of Orthopaedic Research
18:1001-1008 The Journal of Bone and Joint Surgery, Inc.
© 2000 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 18, 2000

SUBJECT INDEX

Activity

Relationship between body mass index and activity in hip or knee arthroplasty patients, 35

Adhesion

Adhesion formation can be reduced by the suppression of transforming growth factor-β1 activity, 212

Mixture of hyaluronic acid and phospholipid prevents adhesion formation on the injured flexor tendon in rabbits, 835

Titanium particles inhibit osteoblast adhesion to fibronectin-coated substrates, 203

Adrenoreceptor

Role of alpha-1 adrenoceptor subtypes mediating constriction of the rabbit ear thermoregulatory microvasculature, 156

Aging

Age, gender, and bone lamellae elastic moduli, 432

Effect of age and sampling site on the chondrogenic potential of rabbit marrow-derived mesenchymal progenitor cells, 18

Aggrecan

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399

Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524

Aledronate

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64

Alginate

Enhanced proliferation and differentiation of human articular chondrocytes when seeded at low cell densities in alginate *in vitro*, 882

Allodynia

Cyclooxygenase-2 inhibitor SC-236 attenuates mechanical allodynia following nerve root injury in rats, 977

Allograft

Comparison of three methods of gluteal muscle attachment to an allograft/endoprosthetic composite in a canine model, 56

Short communication. Experimental model for allograft incorporation and allograft fracture repair, 303

Use of roentgenography and magnetic resonance imaging to predict meniscal geometry determined with a three-dimensional coordinate digitizing system, 228

Angiogenesis

Adaptation of post-traumatic angiogenesis in the rabbit knee by apposition of torn ligament ends, 663

Annulus fibrosus

Reinsertion of stimulated nucleus pulposus cells retards intervertebral disc degeneration: an *in vitro* and *in vivo* experimental study, 988

Apoptosis

Drug-induced apoptosis in osteosarcoma cell lines is mediated by caspase activation independent of CD95-receptor/ligand interaction, 10

Increased concentrations of nitrate and nitrite in the cyst fluid suggesting increased nitric oxide synthesis in solitary bone cysts, 281

Inhibition of caspase-3-like activity prevents apoptosis while retaining functionality of human chondrocytes *in vitro*, 356

Arthritis

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399

Changes in cross-sectional geometry of the distal femoral metaphysis associated with inflammatory arthritis are reduced by a bisphosphonate (zoledronate), 734

Pamidronate prevents bone loss associated with carrageenan arthritis by reducing resorptive activity but not recruitment of osteoclasts, 873

Arthropathy

Ultrastructural findings after intraarticular application of hyaluronan in a canine model of arthropathy, 604

Arthroplasty

Assessment of elbow joint kinematics in passive motion by electromagnetic motion tracking, 195

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64

Comparison of three methods of gluteal muscle attachment to an allograft/endoprosthetic composite in a canine model, 56

In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface, 856

Quantitative small-animal surrogate to evaluate drug efficacy in preventing wear debris-induced osteolysis, 849

Relationship between body mass index and activity in hip or knee arthroplasty patients, 35

Tumor necrosis factor-α/nuclear transcription factor-κB signaling in periprosthetic osteolysis, 472

Atrophy

Metabolic activity of a new atrophic nonunion model in rabbits, 438

Bending

Efficacy of monitoring long-bone fracture healing by measurement of either bone stiffness or resonant frequency: numerical simulation, 691

Bioglass

Assessment of resorbable bioactive material for grafting of critical-size cancellous defects, 140

Biomaterials

Hyaluronan-based polymers in the treatment of osteochondral defects, 773

Biomechanics

Comparison of biomechanical and biochemical properties of cartilage from human knee and ankle pairs, 739

Short communication. Effect of *in vitro* testing over extended periods on the low-load mechanical behaviour of dense connective tissues, 678

Bisphosphonate

Changes in cross-sectional geometry of the distal femoral metaphysis associated with inflammatory arthritis are reduced by a bisphosphonate (zoledronate), 734

Pamidronate prevents bone loss associated with carrageenan arthritis by reducing resorptive activity but not recruitment of osteoclasts, 873

Body mass index

Relationship between body mass index and activity in hip or knee arthroplasty patients, 35

Bone

Age, gender, and bone lamellae elastic moduli, 432

Cellular contribution of bone graft to fusion, 920

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40

Changes in cross-sectional geometry of the distal femoral metaphysis associated with inflammatory arthritis are reduced by a bisphosphonate (zoledronate), 734

Effect of freeze-drying and gamma irradiation on the mechanical properties of human cancellous bone, 426

Extracellular collagen regulates expression of transforming growth factor-β1 gene, 928

Femoral structure and stiffness in patients with femoral neck fracture, 443

Inhibitory effects of the quinolone antibiotics trovafloxacin, ciprofloxacin, and levofloxacin on osteoblastic cells *in vitro*, 721

Osteoprogenitor cells within skeletal muscle, 933

Poroelastic properties of bovine vertebral trabecular bone, 671

Quantitative assessment of *in vivo* bone regeneration consolidation in distraction osteogenesis, 912

Short communication. Sequential labelling of microdamage in bone using chelating agents, 322

Short communication. Vertebral trabecular bone microscopic tissue elastic modulus and hardness do not change in ovariectomized rats, 333
Vascular proliferation and blood supply during distraction osteogenesis: a scanning electron microscopic observation, 698

Bone mineral density

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40
Disc degeneration and bone density in monozygotic twins discordant for insulin-dependent diabetes mellitus, 768
Loosening of sacral screw fixation under *in vitro* fatigue loading, 808

Bone morphogenetic protein

Evaluation of recombinant human bone morphogenetic protein-2 as a bone-graft substitute in canine segmental defect model, 289
Osteoprogenitor cells within skeletal muscle, 933

Callus

Morphometric analysis of canine skeletal muscles following experimental callus distraction according to the Ilizarov method, 620

Cartilage

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399
Cell attachment, collagen binding, and receptor analysis on bovine articular chondrocytes, 364
Cellular responses of embryonic hyaline cartilage to experimental wounding *in vitro*, 25
Chondrocyte-specific enhancer regions in the COMP gene, 345
Comparison and reproducibility of fast and conventional spoiled gradient-echo magnetic resonance sequences in the determination of knee cartilage volume, 580
Comparison of biomechanical and biochemical properties of cartilage from human knee and ankle pairs, 739
Delamination rates of tissue flaps used in articular cartilage repair, 909
Distribution of chondrocytes containing α-smooth muscle actin in human articular cartilage, 749
Effect of compressive loading on chondrocyte differentiation in agarose cultures of chick limb-bud cells, 78
Effects of harvest and selected cartilage repair procedures on the physical and biochemical properties of articular cartilage in the canine knee, 790
Healing of canine articular cartilage defects treated with microfracture, a type-II collagen matrix, or cultured autologous chondrocytes, 781
Hyaluronan-based polymers in the treatment of osteochondral defects, 773
Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585
Inhibition of caspase-3-like activity prevents apoptosis while retaining functionality of human chondrocytes *in vitro*, 356
Mechanical modulation of tenascin-C and collagen-XII expression during avian synovial joint formation, 406
Polysulphated glycosaminoglycan treatments can mitigate decreases in stiffness of articular cartilage in a traumatized animal joint, 756
Quantitative assessment of the effect of 0.05% chlorhexidine on rat articular cartilage metabolism *in vitro* and *in vivo*, 762
Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351
Responsiveness of bovine chondrocytes to growth factors in medium with different serum concentrations, 68
Short communication. Cartilage repair with autogenic perichondrium cell/ polylactic acid grafts: a two-year study in rabbits, 512
Simultaneous changes in the mechanical properties, quantitative collagen organization, and proteoglycan concentration of articular cartilage following canine meniscectomy, 383
Viscoelastic properties of chondrocytes from normal and osteoarthritic human cartilage, 891

Cartilage oligomeric matrix protein

Chondrocyte-specific enhancer regions in the COMP gene, 345
Expression of cartilage oligomeric matrix protein (COMP) by embryonic and adult osteoblasts, 713
Molecular cloning, sequencing, and tissue and developmental expression of mouse cartilage oligomeric matrix protein (COMP), 593

Caspase-3

Inhibition of caspase-3-like activity prevents apoptosis while retaining functionality of human chondrocytes *in vitro*, 356

Chlorhexidine

Quantitative assessment of the effect of 0.05% chlorhexidine on rat articular cartilage metabolism *in vitro* and *in vivo*, 762

Chondrocyte

Biomechanical regulation of matrix metalloproteinase-9 in cultured chondrocytes, 899
Cell attachment, collagen binding, and receptor analysis on bovine articular chondrocytes, 364
Cellular responses of embryonic hyaline cartilage to experimental wounding *in vitro*, 25
Chondrocyte-specific enhancer regions in the COMP gene, 345
Distribution of chondrocytes containing α-smooth muscle actin in human articular cartilage, 749
Effect of compressive loading on chondrocyte differentiation in agarose cultures of chick limb-bud cells, 78
Enhanced proliferation and differentiation of human articular chondrocytes when seeded at low cell densities in alginate *in vitro*, 882
Healing of canine articular cartilage defects treated with microfracture, a type-II collagen matrix, or cultured autologous chondrocytes, 781
Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585
Inhibition of caspase-3-like activity prevents apoptosis while retaining functionality of human chondrocytes *in vitro*, 356
Mechanical compression modulates proliferation of transplanted chondrocytes, 374
Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351
Responsiveness of bovine chondrocytes to growth factors in medium with different serum concentrations, 68
Viscoelastic properties of chondrocytes from normal and osteoarthritic human cartilage, 891

Chondromalacia

Biomechanical investigations on chondromalacia of the knee after meniscal flap lesion and partial meniscal resection: an experimental model, 393
Ultrastructural findings after intraarticular application of hyaluronan in a canine model of arthropathy, 604

Chondrosarcoma

Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351

Chromosome

Editorial. Localization of dominantly inherited isolated triphalangel thumb, 339
Localization of dominantly inherited isolated triphalangeal thumb to chromosomal region 7q36, 340

Collagen

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399
Cell attachment, collagen binding, and receptor analysis on bovine articular chondrocytes, 364
Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64
Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524
Decorin antisense gene therapy improves functional healing of early rabbit ligament scar with enhanced collagen fibrillogenesis *in vivo*, 517
Effects of harvest and selected cartilage repair procedures on the physical and biochemical properties of articular cartilage in the canine knee, 790
Extracellular collagen regulates expression of transforming growth factor-β1 gene, 928
Mechanical modulation of tenascin-C and collagen-XII expression during avian synovial joint formation, 406
Migration of cells from human anterior cruciate ligament explants into collagen-glycosaminoglycan scaffolds, 557
Simultaneous changes in the mechanical properties, quantitative collagen organization, and proteoglycan concentration of articular cartilage following canine meniscectomy, 383
The pentapeptide NKISK affects collagen fibril interactions in a vertebrate tissue, 532
Time-dependent increases in type-III collagen gene expression in medial collateral ligament fibroblasts under cyclic strains, 220

Collagenase

Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524

Colony-stimulating factor

Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967

Compression

Mechanical compression modulates proliferation of transplanted chondrocytes, 374
Tenascin-C in tendon regions subjected to compression, 537

Creep

Early medial collateral ligament scars have inferior creep behaviour, 238

Cyclooxygenase-2 inhibitor

Cyclooxygenase-2 inhibitor SC-236 attenuates me-

chanical allodynia following nerve root injury in rats, 977
Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967

Cyst

Increased concentrations of nitrate and nitrite in the cyst fluid suggesting increased nitric oxide synthesis in solitary bone cysts, 281

Cytokine

Cytokines associated with the pathophysiology of aggressive fibromatosis, 655

Cytoskeleton

Viscoelastic properties of chondrocytes from normal and osteoarthritic human cartilage, 891

Demineralized bone matrix

Rapid quantitative bioassay of osteoinduction, 503

Diabetes mellitus

Biomechanical evaluation of early fracture healing in normal and diabetic rats, 126
Disc degeneration and bone density in monozygotic twins discordant for insulin-dependent diabetes mellitus, 768

Dipalmitoyl phosphatidylcholine

Mixture of hyaluronic acid and phospholipid prevents adhesion formation on the injured flexor tendon in rabbits, 835

Distraction osteogenesis

Primary resective shortening followed by distraction osteogenesis for limb reconstruction: a comparison with simple lengthening, 629
Quantitative assessment of *in vivo* bone regeneration consolidation in distraction osteogenesis, 912
Vascular proliferation and blood supply during distraction osteogenesis: a scanning electron microscopic observation, 698

Dual-energy x-ray absorptiometry

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40

Edema

Methylprednisolone reduces the early vascular permeability increase in spinal nerve roots induced by epidural nucleus pulposus application, 983

Editorial

339

Elbow

Assessment of elbow joint kinematics in passive motion by electromagnetic motion tracking, 195
Radiographic determinants of the elbow rotation axis: experimental identification and quantitative validation, 821

Electromagnetic motion tracking

Assessment of elbow joint kinematics in pas sive motion by electromagnetic motion track ing, 195

Endochondral ossification

Expression of cartilage oligomeric matrix protein (COMP) by embryonic and adult osteoblasts, 713

Erratum

516

Estrogen

Short communication. Vertebral trabecular bone microscopic tissue elastic modulus and hardness do not change in ovariectomized rats, 333
Tibial plateau fracture as a measure of early estrogen-dependent bone fragility in rats, 326

Femur

Femoral structure and stiffness in patients with femoral neck fracture, 443
Markers of joint tissue turnover in joint fluids from hips with osteonecrosis of the femoral head, 728

Fibroblast

Time-dependent increases in type-III collagen gene expression in medial collateral ligament fibroblasts under cyclic strains, 220

Fibrocartilage

An *in vivo* model for load-modulated remodeling in the rabbit flexor tendon, 116

Fibromatosis

Cytokines associated with the pathophysiology of aggressive fibromatosis, 655

Finite element analysis

Mechanobiology and joint conformity regulate endochondral ossification of sesamoids, 706

Flexor tendon

Mixture of hyaluronic acid and phospholipid prevents adhesion formation on the injured flexor tendon in rabbits, 835

Fluoroquinolone

Inhibitory effects of the quinolone antibiotics trovafloxacin, ciprofloxacin, and levofloxacin on osteoblastic cells *in vitro*, 721

Fluoroscopy

Radiographic determinants of the elbow rotation axis: experimental identification and quantitative validation, 821

Fracture

Biomechanical evaluation of early fracture healing in normal and diabetic rats, 126
Changes in cross-sectional geometry of the distal femoral metaphysis associated with inflammatory arthritis are reduced by a bisphosphonate (zoledronate), 734
Efficacy of monitoring long-bone fracture healing by measurement of either bone stiffness or resonant frequency: numerical simulation, 691
Metabolic activity of a new atrophic nonunion model in rabbits, 438
Osteogenic growth peptide normally stimulated by blood loss and marrow ablation has local and systemic effects on fracture healing in rats, 133
Short communication. Experimental model for allograft incorporation and allograft fracture repair, 303
Tibial plateau fracture as a measure of early estrogen-dependent bone fragility in rats, 326

Freeze-drying

Effect of freeze-drying and gamma irradiation on the mechanical properties of human cancellous bone, 426

Fusion

Cellular contribution of bone graft to fusion, 920

Gamma irradiation

Effect of freeze-drying and gamma irradiation on the mechanical properties of human cancellous bone, 426

Gender

Age, gender, and bone lamellae elastic moduli, 432

Gene

Decorin antisense gene therapy improves functional healing of early rabbit ligament scar with enhanced collagen fibrillogenesis *in vivo*, 517
Editorial. Localization of dominantly inherited isolated triphalangel thumb, 339
Expression of cartilage oligomeric matrix protein (COMP) by embryonic and adult osteoblasts, 713
Localization of dominantly inherited isolated triphalangeal thumb to chromosomal region 7q36, 340
Osteoprogenitor cells within skeletal muscle, 933

Giant cell

Differential expression of transforming growth factor-α and macrophage colony-stimulating factor/colony-stimulating factor-JR *(c-fms)* by multinucleated giant cells involved in pathological bone resorption at the site of orthopaedic implants, 800
Spindle-shaped cells derived from giant-cell tumor of bone support differentiation of blood monocytes to osteoclast-like cells, 647

Glenohumeral joint

In vivo technique to quantify the internal-external rotation kinematics of the human glenohumeral joint, 190
Stiffness, viscosity, and upper-limb inertia about the glenohumeral abduction axis, 94
Structural properties of the subscapularis tendon, 829
Tendon-defect and muscle-unloaded models for relating a rotator cuff tear to glenohumeral stability, 952

Gluteal muscle

Comparison of three methods of gluteal muscle attachment to an allograft/endoprosthetic composite in a canine model, 56

Glycosaminoglycan

Migration of cells from human anterior cruciate ligament explants into collagen-glycosaminoglycan scaffolds, 557
Polysulphated glycosaminoglycan treatments can mitigate decreases in stiffness of articular cartilage in a traumatized animal joint, 756
Simultaneous changes in the mechanical properties, quantitative collagen organization, and proteoglycan concentration of articular cartilage following canine meniscectomy, 383

Graft

Assessment of resorbable bioactive material for grafting of critical-size cancellous defects, 140
Cellular contribution of bone graft to fusion, 920
Effect of freeze-drying and gamma irradiation on the mechanical properties of human cancellous bone, 426

Evaluation of recombinant human bone morphogenetic protein-2 as a bone-graft substitute in canine segmental defect model, 289
Mechanical behavior of two hamstring graft constructs for reconstruction of the anterior cruciate ligament, 456
Short communication. Cartilage repair with autogenic perichondrium cell/ polylactic acid grafts: a two-year study in rabbits, 512

Growth factor

Adhesion formation can be reduced by the suppression of transforming growth factor-β1 activity, 212
Insulin-like growth factor-I is expressed by avian flexor tendon cells, 546
MET oncogene aberrant expression in canine osteosarcoma, 253
Osteogenic growth peptide normally stimulated by blood loss and marrow ablation has local and systemic effects on fracture healing in rats, 133
Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351
Responsiveness of bovine chondrocytes to growth factors in medium with different serum concentrations, 68
Short communication. Expression of mRNA for vascular endothelial growth factor at the repair site of healing canine flexor tendon, 247

Growth plate

Microstructural properties of the distal growth plate of the rabbit radius and ulna: biomechanical, biochemical, and morphological studies, 87

Hamstrings

Characterization of hamstring reflexes during anterior cruciate ligament disruption: *in vivo* results from a goat model, 183
Hamstrings and iliotibial band forces affect knee kinematics and contact pattern, 101
Mechanical behavior of two hamstring graft constructs for reconstruction of the anterior cruciate ligament, 456

Harvest

Effects of harvest and selected cartilage repair procedures on the physical and biochemical properties of articular cartilage in the canine knee, 790

Healing

Adaptation of post-traumatic angiogenesis in the rabbit knee by apposition of torn ligament ends, 663
Assessment of resorbable bioactive material for grafting of critical-size cancellous defects, 140
Biomechanical evaluation of early fracture healing in normal and diabetic rats, 126
Decorin antisense gene therapy improves functional healing of early rabbit ligament scar with enhanced collagen fibrillogenesis *in vivo*, 517
Healing of canine articular cartilage defects treated with microfracture, a type-II collagen matrix, or cultured autologous chondrocytes, 781
Inhibitory effects of the quinolone antibiotics trovafloxacin, ciprofloxacin, and levofloxacin on osteoblastic cells *in vitro*, 721
Insulin-like growth factor-I is expressed by avian flexor tendon cells, 546
Osteogenic growth peptide normally stimulated by blood loss and marrow ablation has local and systemic effects on fracture healing in rats, 133
Pregnancy affects cellular activity, but not tissue mechanical properties, in the healing rabbit medial collateral ligament, 462
Pulsed electromagnetic field stimulation of MG63 osteoblast-like cells affects differentiation and local factor production, 637
Quantitative assessment of *in vivo* bone regeneration consolidation in distraction osteogenesis, 912
Short communication. Cartilage repair with autogenic perichondrium cell/ polylactic acid grafts: a two-year study in rabbits, 512
Short communication. Expression of mRNA for vascular endothelial growth factor at the repair site of healing canine flexor tendon, 247

Heelstrike

Relationship between quadriceps strength and rate of loading during gait in women, 171

Hip

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64
Femoral structure and stiffness in patients with femoral neck fracture, 443
Letters to the editors, 164
Markers of joint tissue turnover in joint fluids from hips with osteonecrosis of the femoral head, 728
Relationship between body mass index and activity in hip or knee arthroplasty patients, 35

Hyaluronan

Amelioration of disease severity by intraarticular hylan therapy in bilateral canine osteoarthritis, 416
Hyaluronan-based polymers in the treatment of osteochondral defects, 773
Mixture of hyaluronic acid and phospholipid prevents adhesion formation on the injured flexor tendon in rabbits, 835
Ultrastructural findings after intraarticular application of hyaluronan in a canine model of arthropathy, 604

Hydroxyapatite

Effects of hydroxyapatite coating on Ti-6Al-4V implant-site infection in a rabbit tibial model, 485
Efficiency of systematic sampling in histomorphometric bone research illustrated by hydroxyapatite-coated implants: optimizing the stereological vertical-section design, 313
Plate fixation of prostheses after segmental resection for bone tumours, 865

Ilizarov method

Morphometric analysis of canine skeletal muscles following experimental callus distraction according to the Ilizarov method, 620

Implant

Biological and mechanical characteristics of the interface between a new swelling anchor and bone, 494
Differential expression of transforming growth factor-α and macrophage colony-stimulating factor/colony-stimulating factor-JR *(c-fms)* by multinucleated giant cells involved in pathological bone resorption at the site of orthopaedic implants, 800
Effects of hydroxyapatite coating on Ti-6Al-4V implant-site infection in a rabbit tibial model, 485
Efficiency of systematic sampling in histomorphometric bone research illustrated by hydroxyapatite-coated implants: optimizing the stereological vertical-section design, 313

Infection

Effects of hydroxyapatite coating on Ti-6Al-4V implant-site infection in a rabbit tibial model, 485
Quantitative assessment of the effect of 0.05% chlorhexidine on rat articular cartilage metabolism *in vitro* and *in vivo*, 762

Injury

Adaptation of post-traumatic angiogenesis in the rabbit knee by apposition of torn ligament ends, 663
Equivalence of single and incremental subfailure stretches of rabbit anterior cruciate ligament, 841

Insulin-like growth factor

Insulin-like growth factor-I is expressed by avian flexor tendon cells, 546
Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351

Integrin

Cell attachment, collagen binding, and receptor analysis on bovine articular chondrocytes, 364

Intercondylar guide surfaces

Controlling the motion of total knee replacements using intercondylar guide surfaces, 48

Intervertebral disc

Reinsertion of stimulated nucleus pulposus cells retards intervertebral disc degeneration: an *in vitro* and *in vivo* experimental study, 988

Isokinetic strength

Relationship between quadriceps strength and rate of loading during gait in women, 171

Kinematics

Assessment of elbow joint kinematics in passive motion by electromagnetic motion tracking, 195
In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface, 856
In vivo technique to quantify the internal-external rotation kinematics of the human glenohumeral joint, 190
Radiographic determinants of the elbow rotation axis: experimental identification and quantitative validation, 821

Knee

Bilateral proprioceptive defects in patients with a unilateral anterior cruciate ligament reconstruction: a comparison between patients and healthy individuals, 565
Biomechanical investigations on chondromalacia of the knee after meniscal flap lesion and partial meniscal resection: an experimental model, 393
Cellular responses of embryonic hyaline cartilage to experimental wounding *in vitro*, 25
Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40
Characterization of hamstring reflexes during anterior cruciate ligament disruption: *in vivo* results from a goat model, 183
Comparison and reproducibility of fast and conventional spoiled gradient-echo magnetic resonance sequences in the determination of knee cartilage volume, 580
Comparison of biomechanical and biochemical

properties of cartilage from human knee and ankle pairs, 739
Controlling the motion of total knee replacements using intercondylar guide surfaces, 48
Hamstrings and iliotibial band forces affect knee kinematics and contact pattern, 101
Importance of the medial meniscus in the anterior cruciate ligament-deficient knee, 109
In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface, 856
Is the circumferential tensile modulus within a human medial meniscus affected by the test sample location and cross-sectional area? 945
Knee pain and joint loading in subjects with osteoarthritis of the knee, 572
Pregnancy affects cellular activity, but not tissue mechanical properties, in the healing rabbit medial collateral ligament, 462
Relationship between body mass index and activity in hip or knee arthroplasty patients, 35
Significance of changes in the reference position for measurements of tibial translation and diagnosis of cruciate ligament deficiency, 176

LacZ

Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585

Lengthening

Primary resective shortening followed by distraction osteogenesis for limb reconstruction: a comparison with simple lengthening, 629
Vascular proliferation and blood supply during distraction osteogenesis: a scanning electron microscopic observation, 698

Lesion

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399
Delamination rates of tissue flaps used in articular cartilage repair, 909
Polysulphated glycosaminoglycan treatments can mitigate decreases in stiffness of articular cartilage in a traumatized animal joint, 756

Letters to the editors

164, 337, 682

Ligament

Adaptation of post-traumatic angiogenesis in the rabbit knee by apposition of torn ligament ends, 663
Bilateral proprioceptive defects in patients with a unilateral anterior cruciate ligament reconstruction: a comparison between patients and healthy individuals, 565
Characterization of hamstring reflexes during anterior cruciate ligament disruption: *in vivo* results from a goat model, 183
Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524
Decorin antisense gene therapy improves functional healing of early rabbit ligament scar with enhanced collagen fibrillogenesis *in vivo*, 517
Early medial collateral ligament scars have inferior creep behaviour, 238
Equivalence of single and incremental subfailure stretches of rabbit anterior cruciate ligament, 841
Importance of the medial meniscus in the anterior cruciate ligament-deficient knee, 109
Migration of cells from human anterior cruciate ligament explants into collagen-glycosaminoglycan scaffolds, 557
Pregnancy affects cellular activity, but not tissue mechanical properties, in the healing rabbit medial collateral ligament, 462
Short communication. Effect of *in vitro* testing over extended periods on the low-load mechanical behaviour of dense connective tissues, 678
Significance of changes in the reference position for measurements of tibial translation and diagnosis of cruciate ligament deficiency, 176
Time-dependent increases in type-III collagen gene expression in medial collateral ligament fibroblasts under cyclic strains, 220

Load

An *in vivo* model for load-modulated remodeling in the rabbit flexor tendon, 116
Biomechanical consequences of an isolated overload on the human vertebral body, 685
Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524
Effect of compressive loading on chondrocyte differentiation in agarose cultures of chick limb-bud cells, 78
Knee pain and joint loading in subjects with osteoarthritis of the knee, 572
Loosening of sacral screw fixation under *in vitro* fatigue loading, 808
Mechanical modulation of tenascin-C and collagen-XII expression during avian synovial joint formation, 406
Relationship between quadriceps strength and rate of loading during gait in women, 171
Short communication. Effect of *in vitro* testing over extended periods on the low-load mechanical behaviour of dense connective tissues, 678

Macrophage colony-stimulating factor

Differential expression of transforming growth factor-α and macrophage colony-stimulating factor/colony-stimulating factor-JR *(c-fms)* by multinucleated giant cells involved in pathological bone resorption at the site of orthopaedic implants, 800

Magnetic resonance imaging

Comparison and reproducibility of fast and conventional spoiled gradient-echo magnetic resonance sequences in the determination of knee cartilage volume, 580
Disc degeneration and bone density in monozygotic twins discordant for insulin-dependent diabetes mellitus, 768
Use of roentgenography and magnetic resonance imaging to predict meniscal geometry determined with a three-dimensional coordinate digitizing system, 228

Matrix metalloproteinase-9

Biomechanical regulation of matrix metalloproteinase-9 in cultured chondrocytes, 899

Mechanobiology

Mechanobiology and joint conformity regulate endochondral ossification of sesamoids, 706

Meniscectomy

Simultaneous changes in the mechanical properties, quantitative collagen organization, and proteoglycan concentration of articular cartilage following canine meniscectomy, 383

Meniscus

Biomechanical investigations on chondromalacia of the knee after meniscal flap lesion and partial meniscal resection: an experimental model, 393
Importance of the medial meniscus in the anterior cruciate ligament-deficient knee, 109
Is the circumferential tensile modulus within a human medial meniscus affected by the test sample location and cross-sectional area? 945
Longitudinal characterization of synovial fluid biomarkers in the canine meniscectomy model of osteoarthritis, 269
Use of roentgenography and magnetic resonance imaging to predict meniscal geometry determined with a three-dimensional coordinate digitizing system, 228

Mesenchymal cells

Chondrocyte-specific enhancer regions in the COMP gene, 345
Effect of age and sampling site on the chondro-osteogenic potential of rabbit marrow-derived mesenchymal progenitor cells, 18

Metastases

Evaluation of the feasibility of and results of measuring health-status changes in patients undergoing surgical treatment for skeletal metastases, 1
Murine model for skeletal metastases of Ewing's sarcoma, 959

Metatarsals

Influence of muscular activity on local mineralization patterns in metatarsals of the embryonic mouse, 613

Methylprednisolone

Methylprednisolone reduces the early vascular permeability increase in spinal nerve roots induced by epidural nucleus pulposus application, 983

MG63 osteoblast-like cells

Pulsed electromagnetic field stimulation of MG63 osteoblast-like cells affects differentiation and local factor production, 637

Microdamage

Short communication. Sequential labelling of microdamage in bone using chelating agents, 322

Microfracture

Effects of harvest and selected cartilage repair procedures on the physical and biochemical properties of articular cartilage in the canine knee, 790
Healing of canine articular cartilage defects treated with microfracture, a type-II collagen matrix, or cultured autologous chondrocytes, 781

Microvasculature

Role of alpha-1 adrenoceptor subtypes mediating constriction of the rabbit ear thermoregulatory microvasculature, 156

Mineralization

Influence of muscular activity on local mineralization patterns in metatarsals of the embryonic mouse, 613

Modulus

Is the circumferential tensile modulus within a hu-

man medial meniscus affected by the test sample location and cross-sectional area? 945

mRNA

Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524
Pregnancy affects cellular activity, but not tissue mechanical properties, in the healing rabbit medial collateral ligament, 462
Short communication. Expression of mRNA for vascular endothelial growth factor at the repair site of healing canine flexor tendon, 247

Multidrug resistance-1 gene

Multidrug resistance-1 gene expression does not increase during tumor progression in the MGH-OGS murine osteosarcoma tumor model, 449

Muscle

Influence of muscular activity on local mineralization patterns in metatarsals of the embryonic mouse, 613
Morphometric analysis of canine skeletal muscles following experimental callus distraction according to the Ilizarov method, 620
Relationship between quadriceps strength and rate of loading during gait in women, 171

Nerve

Changes in conduction, blood flow, histology, and neurological status following acute nerve-stretch injury induced by femoral lengthening, 149
Cyclooxygenase-2 inhibitor SC-236 attenuates mechanical allodynia following nerve root injury in rats, 977
Mechanical compression of the lumbar nerve root alters pain-related behaviors induced by the nucleus pulposus in the rat, 257
Methylprednisolone reduces the early vascular permeability increase in spinal nerve roots induced by epidural nucleus pulposus application, 983
Nitric oxide as a mediator of nucleus pulposus-induced effects on spinal nerve roots, 815

Nitric oxide

Increased concentrations of nitrate and nitrite in the cyst fluid suggesting increased nitric oxide synthesis in solitary bone cysts, 281
Nitric oxide as a mediator of nucleus pulposus-induced effects on spinal nerve roots, 815

NKISK

The pentapeptide NKISK affects collagen fibril interactions in a vertebrate tissue, 532

Nonunion

Metabolic activity of a new atrophic nonunion model in rabbits, 438

N-telopeptide

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64

Nucleus pulposus

Mechanical compression of the lumbar nerve root alters pain-related behaviors induced by the nucleus pulposus in the rat, 257
Methylprednisolone reduces the early vascular permeability increase in spinal nerve roots induced by epidural nucleus pulposus application, 983
Nitric oxide as a mediator of nucleus pulposus-induced effects on spinal nerve roots, 815
Reinsertion of stimulated nucleus pulposus cells retards intervertebral disc degeneration: an *in vitro* and *in vivo* experimental study, 988

Oncogene

MET oncogene aberrant expression in canine osteosarcoma, 253

Osteoarthritis

Amelioration of disease severity by intraarticular hylan therapy in bilateral canine osteoarthritis, 416
Biomechanical regulation of matrix metalloproteinase-9 in cultured chondrocytes, 899
Comparison of biomechanical and biochemical properties of cartilage from human knee and ankle pairs, 739
Inhibition of caspase-3-like activity prevents apoptosis while retaining functionality of human chondrocytes *in vitro*, 356
Knee pain and joint loading in subjects with osteoarthritis of the knee, 572
Longitudinal characterization of synovial fluid biomarkers in the canine meniscectomy model of osteoarthritis, 269
Markers of joint tissue turnover in joint fluids from hips with osteonecrosis of the femoral head, 728
Polysulphated glycosaminoglycan treatments can mitigate decreases in stiffness of articular cartilage in a traumatized animal joint, 756
Relationship between quadriceps strength and rate of loading during gait in women, 171
Viscoelastic properties of chondrocytes from normal and osteoarthritic human cartilage, 891

Osteoblast

Expression of cartilage oligomeric matrix protein (COMP) by embryonic and adult osteoblasts, 713
Inhibitory effects of the quinolone antibiotics trovafloxacin, ciprofloxacin, and levofloxacin on osteoblastic cells *in vitro*, 721
Pulsed electromagnetic field stimulation of MG63 osteoblast-like cells affects differentiation and local factor production, 637
Titanium particles inhibit osteoblast adhesion to fibronectin-coated substrates, 203

Osteochondral progenitor cells

Effect of age and sampling site on the chondro-osteogenic potential of rabbit marrow-derived mesenchymal progenitor cells, 18

Osteochondrosis

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399

Osteoclast

Ability of osteoclast formation from peripheral monocytes using anti-fusion regulatory protein-1/CD98/4F2 monoclonal antibodies in patients with osteoporosis, 265
Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967
Pamidronate prevents bone loss associated with carrageenan arthritis by reducing resorptive activity but not recruitment of osteoclasts, 873
Spindle-shaped cells derived from giant-cell tumor of bone support differentiation of blood monocytes to osteoclast-like cells, 647

Osteoclastogenesis

Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967
Spindle-shaped cells derived from giant-cell tumor of bone support differentiation of blood monocytes to osteoclast-like cells, 647

Osteogenic growth peptide

Osteogenic growth peptide normally stimulated by blood loss and marrow ablation has local and systemic effects on fracture healing in rats, 133

Osteoinduction

Anatomical effects of periosteal elevation, 500
Rapid quantitative bioassay of osteoinduction, 503

Osteolysis

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64
Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967
Pressure-induced periprosthetic osteolysis: a rat model, 481
Quantitative small-animal surrogate to evaluate drug efficacy in preventing wear debris-induced osteolysis, 849
Tumor necrosis factor-α/nuclear transcription factor-κB signaling in periprosthetic osteolysis, 472

Osteonecrosis

Markers of joint tissue turnover in joint fluids from hips with osteonecrosis of the femoral head, 728

Osteoporosis

Ability of osteoclast formation from peripheral monocytes using anti-fusion regulatory protein-1/CD98/4F2 monoclonal antibodies in patients with osteoporosis, 265
Biological and mechanical characteristics of the interface between a new swelling anchor and bone, 494
Disc degeneration and bone density in monozygotic twins discordant for insulin-dependent diabetes mellitus, 768
Short communication. Vertebral trabecular bone microscopic tissue elastic modulus and hardness do not change in ovariectomized rats, 333

Osteoprogenitor

Osteoprogenitor cells within skeletal muscle, 933

Osteoprotegerin

Osteoprotegerin inhibits tumor-induced osteoclastogenesis and bone tumor growth in osteopetrotic mice, 967

Osteosarcoma

Drug-induced apoptosis in osteosarcoma cell lines is mediated by caspase activation independent of CD95-receptor/ligand interaction, 10
MET oncogene aberrant expression in canine osteosarcoma, 253

Pain

Knee pain and joint loading in subjects with osteoarthritis of the knee, 572
Mechanical compression of the lumbar nerve root alters pain-related behaviors induced by the nucleus pulposus in the rat, 257

Relationship between quadriceps strength and rate of loading during gait in women, 171

Patellae

Ultrastructural findings after intraarticular application of hyaluronan in a canine model of arthropathy, 604

Periosteum

Anatomical effects of periosteal elevation, 500

Polyethylene

In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface, 856

Poroelasticity

Poroelastic properties of bovine vertebral trabecular bone, 671

Pregnancy

Pregnancy affects cellular activity, but not tissue mechanical properties, in the healing rabbit medial collateral ligament, 462

Pressure

Pressure-induced periprosthetic osteolysis: a rat model, 481

Prosthesis

Collagen crosslinked N-telopeptides as markers for evaluating particulate osteolysis: a preliminary study, 64

Plate fixation of prostheses after segmental resection for bone tumours, 865

Pressure-induced periprosthetic osteolysis: a rat model, 481

Quantitative small-animal surrogate to evaluate drug efficacy in preventing wear debris-induced osteolysis, 849

Titanium particles inhibit osteoblast adhesion to fibronectin-coated substrates, 203

Proteoglycan

Alterations in cartilage type-II procollagen and aggrecan contents in synovial fluid in equine osteochondrosis, 399

Simultaneous changes in the mechanical properties, quantitative collagen organization, and proteoglycan concentration of articular cartilage following canine meniscectomy, 383

Pulsed electromagnetic field stimulation

Pulsed electromagnetic field stimulation of MG63 osteoblast-like cells affects differentiation and local factor production, 637

Quadriceps

Relationship between quadriceps strength and rate of loading during gait in women, 171

Radiography

Radiographic determinants of the elbow rotation axis: experimental identification and quantitative validation, 821

Remodeling

An *in vivo* model for load-modulated remodeling in the rabbit flexor tendon, 116

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40

Roentgenography

Use of roentgenography and magnetic resonance imaging to predict meniscal geometry determined with a three-dimensional coordinate digitizing system, 228

Rotator cuff

Tendon-defect and muscle-unloaded models for relating a rotator cuff tear to glenohumeral stability, 952

Sarcoma

Murine model for skeletal metastases of Ewing's sarcoma, 959

Scanning electron microscopy

Vascular proliferation and blood supply during distraction osteogenesis: a scanning electron microscopic observation, 698

Scar

Compressive compared with tensile loading of medial collateral ligament scar *in vitro* uniquely influence mRNA levels for aggrecan, collagen type II, and collagenase, 524

Early medial collateral ligament scars have inferior creep behaviour, 238

Screw

Assessment of elbow joint kinematics in passive motion by electromagnetic motion tracking, 195

Loosening of sacral screw fixation under *in vitro* fatigue loading, 808

Mechanical performance of standard and cannulated 4.0-mm cancellous bone screws, 307

Sesamoid

Mechanobiology and joint conformity regulate endochondral ossification of sesamoids, 706

Shoulder

Stiffness, viscosity, and upper-limb inertia about the glenohumeral abduction axis, 94

Skeleton

Evaluation of the feasibility of and results of measuring health-status changes in patients undergoing surgical treatment for skeletal metastases, 1

Murine model for skeletal metastases of Ewing's sarcoma, 959

Osteoprogenitor cells within skeletal muscle, 933

Smooth-muscle actin

Distribution of chondrocytes containing α-smooth muscle actin in human articular cartilage, 749

Spindle-shaped cell

Spindle-shaped cells derived from giant-cell tumor of bone support differentiation of blood monocytes to osteoclast-like cells, 647

Strain

Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585

Time-dependent increases in type-III collagen gene expression in medial collateral ligament fibroblasts under cyclic strains, 220

Stress

Biomechanical regulation of matrix metalloproteinase-9 in cultured chondrocytes, 899

Early medial collateral ligament scars have inferior creep behaviour, 238

Stretch

Changes in conduction, blood flow, histology, and neurological status following acute nerve-stretch injury induced by femoral lengthening, 149

Equivalence of single and incremental subfailure stretches of rabbit anterior cruciate ligament, 841

Subscapularis

Structural properties of the subscapularis tendon, 829

Synovium

Mechanical modulation of tenascin-C and collagen-XII expression during avian synovial joint formation, 406

Tenascin-C

Mechanical modulation of tenascin-C and collagen-XII expression during avian synovial joint formation, 406

Tenascin-C in tendon regions subjected to compression, 537

Tendon

An *in vivo* model for load-modulated remodeling in the rabbit flexor tendon, 116

Insulin-like growth factor-I is expressed by avian flexor tendon cells, 546

Short communication. Expression of mRNA for vascular endothelial growth factor at the repair site of healing canine flexor tendon, 247

Structural properties of the subscapularis tendon, 829

Tenascin-C in tendon regions subjected to compression, 537

Tendon-defect and muscle-unloaded models for relating a rotator cuff tear to glenohumeral stability, 952

Thumb

Editorial. Localization of dominantly inherited isolated triphalangel thumb, 339

Localization of dominantly inherited isolated triphalangeal thumb to chromosomal region 7q36, 340

Tibia

Changes in bone mineral density at the proximal tibia after total knee arthroplasty: a 2-year follow-up of 28 knees using dual energy x-ray absorptiometry, 40

In vivo kinematics of total knee arthroplasty: flat compared with concave tibial joint surface, 856

Tibial plateau

Tibial plateau fracture as a measure of early estrogen-dependent bone fragility in rats, 326

Tissue

Cellular responses of embryonic hyaline cartilage to experimental wounding *in vitro*, 25

Delamination rates of tissue flaps used in articular cartilage repair, 909

Short communication. Effect of *in vitro* testing over extended periods on the low-load mechanical behaviour of dense connective tissues, 678

Use of roentgenography and magnetic resonance imaging to predict meniscal geometry determined with a three-dimensional coordinate digitizing system, 228

Tissue engineering

Hyaluronan-based polymers in the treatment of osteochondral defects, 773

Osteoprogenitor cells within skeletal muscle, 933

Titanium

Effects of hydroxyapatite coating on Ti-6Al-4V implant-site infection in a rabbit tibial model, 485
Quantitative small-animal surrogate to evaluate drug efficacy in preventing wear debris-induced osteolysis, 849
Titanium particles inhibit osteoblast adhesion to fibronectin-coated substrates, 203

Transforming growth factor

Adhesion formation can be reduced by the suppression of transforming growth factor-β1 activity, 212
Differential expression of transforming growth factor-α and macrophage colony-stimulating factor/colony-stimulating factor-JR *(c-fms)* by multinucleated giant cells involved in pathological bone resorption at the site of orthopaedic implants, 800
Extracellular collagen regulates expression of transforming growth factor-β1 gene, 928
Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585
Pulsed electromagnetic field stimulation of MG63 osteoblast-like cells affects differentiation and local factor production, 637
Regulation by IGF-I and TGF-β1 of Swarm-rat chondrosarcoma chondrocytes, 351

Trauma

Equivalence of single and incremental subfailure stretches of rabbit anterior cruciate ligament, 841

Tumor

Cytokines associated with the pathophysiology of aggressive fibromatosis, 655
Drug-induced apoptosis in osteosarcoma cell lines is mediated by caspase activation independent of CD95-receptor/ligand interaction, 10
Evaluation of the feasibility of and results of measuring health-status changes in patients undergoing surgical treatment for skeletal metastases, 1
Multidrug resistance-1 gene expression does not increase during tumor progression in the MGH-OGS murine osteosarcoma tumor model, 449
Plate fixation of prostheses after segmental resection for bone tumours, 865

Tumor necrosis factor

Tumor necrosis factor-α/nuclear transcription factor-κB signaling in periprosthetic osteolysis, 472

Vertebral body

Increased matrix synthesis following adenoviral transfer of a transforming growth factor β_1 gene into articular chondrocytes, 585

Vibration measurement

Efficacy of monitoring long-bone fracture healing by measurement of either bone stiffness or resonant frequency: numerical simulation, 691

Wound

Cellular responses of embryonic hyaline cartilage to experimental wounding *in vitro*, 25